CONTENTS

| S.No |). | Chapter | Particulars | Page No. |
|------|-----------|----------------|--|----------|
| 1.1 | PEL | LETRO | DN | 1 |
| | 1.1.1 | OPER A | ATIONAL SUMMARY | 1 |
| | | 1.1.2 | Maintenance and Development Activities | 3 |
| | | 1.1.3 | Ion Source Activities | 5 |
| | | 1.1.4 | Beam Pulsing System | 6 |
| | | 1.1.5 | Low Energy Negative Ion Implanter Facility | 7 |
| | 1.2 | LINAC | | 9 |
| | | 1.2.1 | Status of the Superconducting Linac | 9 |
| | | 1.2.2 | Developmental activities accomplished to improve the performance & reliability of SC Linac | 10 |
| | | 1.2.3 | Superconducting Niobium Resonators | 11 |
| | | 1.2.3.1 | Construction of Spare QWRs for Linac | 11 |
| | | 1.2.3.2 | Heat Treatment of Fully Jacketed Resonators | 11 |
| | | 1.2.3.3 | Performance of the Low Beta Niobium Resonator | 12 |
| | | 1.2.3.4 | 650 MHz Single Cell Low Beta Niobium Cavity | 13 |
| | | 1.2.3.5 | Upgradation of SRF Infrastructure | 13 |
| | 1.3 | LOW E | ENERGY ION BEAM FACILITY | 13 |
| | | 1.3.1 | Operation | 13 |
| | | 1.3.2 | Maintenance | 15 |
| | | 1.3.3 | Development | 15 |
| | 1.4 | PARAS AND R | 6 (1.7 MV PELLETRON ACCELERATOR BS ENDSTATION) | 15 |
| | | 1.4.1 | Operation | 15 |
| | | 1.4.2 | Maintenance | 16 |
| | | 1.4.2.1 | Ion Source Maintenance | 16 |

| | | 1422 | 1.7 MV Pelletron Accelerator and | |
|----|-----|---------|--|----|
| | | 1.7.2.2 | Experimental Endstation Maintenance | 17 |
| | 1.5 | ACCEI | LERATOR MASS SPECTROMETRY | 17 |
| | | 1.5.1 | 14C AMS facility | 17 |
| | | 1.5.2 | Clean chemistry laboratory activities | 18 |
| | | 1.5.3 | Geochronology Facility at IUAC | 18 |
| | 1.6 | TABLI | ETOP ACCELERATORS | 18 |
| | | 1.6.1 | Upgradation of 50 kV Tabletop Accelarator | 18 |
| | | 1.6.2 | Development of 30 kV Tabletop Accelerator | 19 |
| 2. | ACC | ELERA | ATOR AUGMENTATION PROGRAM | 21 |
| | nec | | | |
| | 2.1 | HIGH | CURRENT INJECTOR | 21 |
| | | 2.1.1 | High Temperature Superconducting Ecris-Pkdelis and Low Energy Beam Transport (LEBT) | 21 |
| | | 2.1.2 | Status of The Multi-Harmonic Buncher for the High Current Injector | 25 |
| | | 2.1.3 | High Power RF Tests on Radio Frequency Quadrupole | 26 |
| | | 2.1.4 | Drift Tube LINAC Resonator | 27 |
| | | 2.1.5 | Travelling Wave Chopper | 28 |
| | | 2.1.6 | 48.5 MHz Spiral Buncher for MEBT Section of HCI | 30 |
| | | 2.1.7 | Beam Transport System for HCI | 31 |
| | | 2.1.7.1 | Beam optics of LEBT and MEBT section of HCI | 31 |
| | | 2.1.7.2 | Installation of the Low Energy Beam Transport (LEBT) Section upto RFQ | 32 |
| | | 2.1.8 | Instrumentation development | 33 |
| | | 2.1.8.1 | Commissioning of HCI Multi-Harmonic Buncher (MHB) RF field Controller | 33 |
| | | 2.1.8.2 | Maintenance of the Vacuum Tube based 48.5 MHz/120 kW RF amplifier | 34 |
| | | 2.1.8.3 | LLRF control for High Current Injector RF Cavities | 34 |

| | | 2.1.9 | Compact Diagnostic System for MEBT Section | 35 |
|-----|------|-----------|--|----|
| | | 2.1.10 B | surn-In Test of 20 KW Solid State RF Amplifier at IUAC | 36 |
| 2.2 | DEVE | LOPME | NT OF A COMPACT FREE ELECTRON LASER | 38 |
| | | 2.2.1 | Delhi Light Source based on Free Electron Laser principle | 38 |
| | | 2.2.1.2.3 | The Photocathode deposition system | 39 |
| | | 2.2.1.2.4 | RF Gun Laser system | 40 |
| | | 2.2.1.2.5 | RF system for the electron gun (Copper cavity) | 40 |
| | | 2.2.1.2.6 | The Undulator Magnet | 40 |
| | | 2.2.1.2.7 | Beam line design of Phase-I | 40 |
| | | 2.2.1.2.8 | B Design of Solenoid magnet for Delhi Light Source | 41 |
| | | 2.2.1.3 | Present status of the Phase-I of Delhi Light Source | 41 |
| | 2.3 | ECR AN | ND MICROWAVE ION SOURCE DEVELOPMENTS | 42 |
| | | | | |
| 3. | RES | EARCH | I SUPPORT FACILITIES | 47 |
| | 3.1 | SUPPO | RT LABORATORIES | 47 |
| | | 3.1.1 | High vacuum laboratory | 47 |
| | | 3.1.1.1 | Installation of High Current Injector (HCI), Low Energy Beam Transport (LEBT) section up to RFQ | 47 |
| | | 3.1.1.2 | Alignment Correction in HIRA beamline and HIRA Experimental set-up | 48 |
| | | 3.1.1.3 | Maintenance Activities | 49 |
| | | 3.1.2 | Cryogenics and Applied Superconductivity Laboratory | 49 |
| | | 3.1.2.1 | LHe plant operation | 49 |
| | | 3.1.2.2 | Electronics for Cryogenics, Applied Superconductivity and LINAC | 50 |
| | | 3.1.2.3 | Applied Superconductivity & MRI | 56 |
| | | 3.1.3 | Power Supplies Laboratory | 58 |
| | | 2121 | Entrination of Dower Supplies for HCI Doom Transport Magnets | 58 |
| | | 3.1.3.1 | radication of rower supplies for HCI Beam transport Magnets | 50 |

| 3.1.3.3 | Development of MOSFET based ±25A True Bipolar Power supply | 59 |
|---------|---|----|
| 3.1.3.4 | Development of 500A/10V Power Supply for MRI Magnet Program | 59 |
| 3.1.3.5 | Design of a NIM based 3kV/3mA Power Supply | 60 |
| 3.1.3.6 | Development of fault current generator for AC characterization of HTS at 77K | 60 |
| 3.1.3.7 | Accelerator Magnet power supplies operation status report | 60 |
| 3.1.3.8 | Preventive Maintenance of Magnets and the Magnet power supplies | 61 |
| 3.1.4 | Detector Laboratory | 61 |
| 3.1.4.1 | Double arm TOF spectrometer | 61 |
| 3.1.4.2 | CsI detectors | 62 |
| 3.1.4.3 | Instrumentation | 62 |
| 3.1.4.4 | New detector systems | 62 |
| 3.1.4.5 | Activities in NUSTAR | 62 |
| 3.1.5 | Target Development Laboratory | 63 |
| 3.1.6 | RF & Electronics laboratory | 66 |
| 3.1.6.1 | Development of Charge Sensitive Pre-amplifier for INGA type clover detector | 66 |
| 3.1.6.2 | Multiplicity modules for NAND array | 66 |
| 3.1.6.3 | Development of electronics for charge particle detector array (CPDA) | 66 |
| 3.1.6.4 | MIDAS Digital Data Acquisition System (DAQ) | 67 |
| 3.1.6.5 | Spark Protection Boards for IUAC Control System | 67 |
| 3.1.6.6 | Broad band amplifier & Ultra-fast discriminators unit for capacitive pick-off of Linac | 68 |
| 3.1.6.7 | Development of 2kW, 48.5MHz Solid state power amplifier | 68 |
| 3.1.6.8 | Status of 400W, 97 MHz Solid State RF Power Amplifier for LINAC | 69 |
| 3.1.6.9 | Development of RF power read-back module | 69 |
| 3.1.7 | Health Physics | 69 |

| 3.1.7.1 | AERB Approval for different upcoming radiation facilities of IUAC (regarding radiation safety aspects) | 70 |
|---------|---|----|
| 3.1.7.2 | Registration in E-LORA facility of AERB | 71 |
| 3.1.7.3 | Remote readout facility for Gamma area monitors | 71 |
| 3.1.7.4 | Luminescence study of γ -ray and C ⁵⁺ ion beam irradiated LiCaBO ₃ :Cu phosphor | 72 |
| 3.1.7.5 | A comparative investigation of Ce ³⁺ /Dy ³⁺ and Eu ²⁺ doped LiAlO ₂ phosphors for high dose radiation dosimetry: Explanation of defect recombination mechanism using PL, TL and EPR study | 72 |
| 3.1.7.6 | Study of thermoluminescence property of C ⁺ -ion doped anodized alumina | 74 |
| 3.1.7.7 | Optimization and Thermoluminescence Study of the Nanophosphor BaSO ₄ :Eu | 75 |
| 3.1.7.8 | Nanocrystalline Europium Doped Barium Sulphate as an Energy Independent Thermoluminescent Dosimeter | 75 |
| 3.1.8 | Data Support Laboratory | 76 |
| 3.1.8.1 | Development of Electronic Module | 76 |
| 3.1.8.2 | MIDAS GUI tested with VME DAQ | 77 |
| 3.1.8.3 | New Target Thickness measurements setup for Target Lab Facility | 77 |
| 3.1.8.4 | Data Acquisition program with Wiener CC-USB crate controller | 77 |
| 3.1.8.5 | PID based Detector Gas Flow Controller Design | 78 |
| 3.1.8.6 | Ethernet Enabled Stepper Motor Controller | 78 |
| 3.1.8.7 | Servicing and Maintenance | 78 |
| 3.1.9 | Computer and Communications | 78 |
| 3.1.9.1 | Local area networks and servers | 78 |
| 3.1.9.2 | High Performance Computing Facility | 78 |
| 3.1.9.3 | New generation Instrumentation & Acquisition System | 78 |
| UTILII | Y SYSTEMS | 81 |
| 3.2.1 | ELECTRICAL GROUP ACTIVITIES | 81 |
| 3.2.1.1 | Maintenance of electrical installations of substation, office blocks and residential colony | 81 |

| | | 3.2.1.2 | Captive power installations | 81 |
|----|------|----------------|--|----|
| | | 3.2.1.3 | Voltage stabilisers | 82 |
| | | 3.2.1.4 | UPS Installations | 82 |
| | | 3.2.1.5 | Power Factor Compensation | 82 |
| | | 3.2.1.6 | Communication Equipments | 82 |
| | | 3.2.1.7 | Fire detection and alarm system82 | |
| | | 3.2.1.8 | Electrical works for High Current Injector (BH-III) | 82 |
| | | 3.2.1.9 | Roof top solar system for IUAC | 82 |
| | | 3.2.1.10 | Compound lighting | 82 |
| | | 3.2.1.11 | Electrical works for XRD and SEM facilities in LAB-2 | 83 |
| | | 3.2.1.12 | Renovation works | 83 |
| | | 3.2.1.13 | Special dedicated grouping for Free Electron Laser Related Facility | 83 |
| | | 3.2.2 | Air Conditioning, Water System and Cooling Equipments | 83 |
| | | 3.2.3 | Mechanical Workshop (MG-III) | 84 |
| | | 3.2.4 | Civil Works | 86 |
| | | 3.2.5 | Compressed Air System and Material Handling Equipments | 87 |
| | | | | |
| 4. | EXPH | ERIME | NTAL FACILITIES IN BEAM HALL | 88 |
| | 4.1 | NEUTR GENER | ON DETECTOR ARRAY FACILITY (NAND) & AL PURPOSE SCATTERING CHAMBER (GPSC) | 88 |
| | | 4.1.1 | Fission fragment angular distribution measurement | 88 |
| | | 4.1.2 | Barrier distribution for ¹⁶ O+ ¹⁶⁹ Tm through quasi-elastic back-scattering | 88 |
| | | 4.1.3 | Study of fusion-fission dynamics in mass 200 region | 88 |
| | | 4.1.4 | Fission fragment mass distribution studies in Mercury region | 89 |
| | | 4.1.5 | Measurement of mass gated neutron multiplicity in ¹⁹ F+ ²⁰⁸ Pb | 89 |
| | 4.2 | GAMM | A DETECTOR ARRAYS (GDA & INGA) | 90 |
| | | 4.2.1 | Experiments in INGA | 90 |
| | | 4.2.2 | Experiments in GDA | 90 |

| | 4.2.3 | Technical developments | 90 |
|------|--------|--|-----|
| | 4.2.4 | Data analysis | 91 |
| | 4.2.5 | Charge particle detector array | 91 |
| 4.3 | RECO | L MASS SPECTROMETERS | 93 |
| | 4.3.1 | Heavy Ion Reaction Analyzer (HIRA) | 93 |
| | 4.3.2 | HYbrid Recoil mass Analyzer (HYRA) | 93 |
| 4.4 | MATE | RIALS SCIENCE FACILITY | 94 |
| | 4.4.1 | Maintenance of Irradiation chambers in Beam Hall I | 94 |
| | 4.4.2 | Contact angle measurement setup | 95 |
| | 4.4.3 | Scanning Probe Microscope | 95 |
| | 4.4.4 | Field Emission Scanning Electron Microscope (FE-SEM) | 95 |
| | 4.4.5 | Status report on spectroscopy facilities | 95 |
| | 4.4.6 | Thermal evaporation and rf parallel plate diode sputtering systems | 96 |
| | 4.4.7 | A.C. Susceptibility Measurement Set-up | 96 |
| 4.5 | RADIA | ATION BIOLOGY EXPERIMENTAL FACILITY | 98 |
| 4.6 | ATOM | IC PHYSICS FACILITY | 99 |
| | 4.6.1 | A setup for studying the UV/Visible spectroscopy during ion atom collision | 99 |
| | 4.6.2 | Status of Multi Channel Doppler Tuned Spectroscopy | 99 |
| | | | |
| RES | EARCH | IACTIVITIES | 101 |
| NUCL | EAR PH | YSICS | 101 |
| | 5.1.1 | Lifetime measurements of ¹³⁹ Pm | 101 |
| | 5.1.2 | High spin structure of ¹²⁹ La | 103 |
| | 5.1.3 | High spin states in ²¹⁶ Fr | 104 |
| | 5.1.4 | Barrier distribution for ¹⁶ O+ ¹⁶⁹ Tm system through quasi-elastic back-scattering | 106 |
| | | | |

5

| 5 | 5.1.5 | Observation of fission-like events in ${}^{18}O+{}^{159}Tb$ system at energy ≈ 5.5 AMeV | 107 |
|---|--------|---|-----|
| 5 | 5.1.6 | Structure of ¹²⁷ Xe at high angular momenta | 108 |
| 5 | 5.1.7 | High spin structure of Rn isotopes and role of high-j orbitals | 109 |
| 5 | 5.1.8 | Observation of pairing of valence neutrons in ¹⁸ O using ²⁷ Al(¹⁸ O, ¹⁶ O n) ²⁸ Al | 110 |
| 5 | 5.1.9 | Multi-quasiparticle isomers below doubly-magic ²⁰⁸ Pb | 111 |
| 5 | 5.1.10 | No evidence of reduced collectivity in Coulomb excited Sn isotopes | 112 |
| 5 | 5.1.11 | Projectile structure effect on the onset and strength of incomplete fusion | 114 |
| 5 | 5.1.12 | Fission fragment mass distributions of nuclei populated by multi-nucleon transfer channels in ^{6,7} Li+ ²³⁸ U reaction | 116 |
| 5 | 5.1.13 | Investigating the effect of CELD in the fission of pre-actinides | 117 |
| 5 | 5.1.14 | Measurement of sub-barrier fusion cross sections for ¹⁹ F+ ¹⁸¹ Ta | 118 |
| 5 | 5.1.15 | Low-level nuclear structure study of ¹³² Ba using Coulomb excitation | 120 |
| I | MATER | IALS SCIENCE | 123 |
| 5 | 5.2.1 | Energy loss and straggling of swift heavy ions in varying thicknesses of Ni metal | 124 |
| 5 | 5.2.2 | Single Event Effects Testing of Microelectronic devices using Swift Heavy Ions | 125 |
| 5 | 5.2.3 | Study of MnAl thin films | 126 |
| 5 | 5.2.4 | Ion-Beam Induced Annealing in Graphene Oxide Film | 127 |
| 5 | 5.2.5 | Electrochemical performance of reduced graphene oxide – polypyrrole nanotubes nanocomposites and 85 MeV C ⁶⁺ ion irradiation | 128 |
| 5 | 5.2.6 | Tailoring magnetic properties of $ZnFe_2O_4$: Effect of 120 MeV Si ⁹⁺ ion | 129 |
| 5 | 5.2.7 | Effect of temperature in the radiation stability of yttria stabilized zirconia under swift heavy ions irradiation | 130 |
| 5 | 5.2.8 | Morphological modification of ZnO:Al thin film using swift heavy ion irradiation | 130 |

| 5.2.9 | Electronic structure modification and Fermi level shifting in Niobium doped anatase Titanium dioxide thin films | 131 |
|--------|---|-----|
| 5.2.10 | Carrier Transport Mechanism an ultra-sensitive Niobium Doped Titanium Dioxide/p-Si Heterojunction Photodiode under illumination by solar simulated light | 132 |
| 5.2.11 | Formation of charge neutrality level in highly conducting Cadmium oxide (CdO) thin films: role of doping and irradiation | 132 |
| 5.2.12 | Micro-Raman and electronic structure study on kinetics of electronic excitations induced monoclinic-to-tetragonal phase transition in zirconium oxide films | 133 |
| 5.2.13 | Band gap engineering and low temperature transport phenomenon in highly conducting antimony doped tin oxide thin films | 133 |
| 5.2.14 | Studies on Structure & Properties of Functional Oxides | 134 |
| 5.2.15 | Influence of electronic excitations on structural, optical and electrical properties of undoped and antimony doped tin oxide thin films | 134 |
| 5.2.16 | Swift Heavy Ion Irradiation Studies on YMnO ₃ Based Thin Film Devices | 135 |
| 5.2.17 | Luminescence studies of rare-earth doped AGd_2O_4 (A=Sr and Ba) phosphors irradiated with γ -rays, O^{6+} and Au^{8+} ions | 136 |
| 5.2.18 | Radiation damage and H/D trapping in ion irradiated Tungsten | 137 |
| 5.2.19 | Mixing study of Ni-Bi thin films using low energy ion beams | 139 |
| 5.2.20 | Nanopattering of Si (100) using ion beam | 139 |
| 5.2.21 | Amorphization studies of crystalline-Si with energetic Si ions | 140 |
| 5.2.22 | Study the effect of silicon negative ion implantation in gallium arsenide | 141 |
| 5.2.23 | Metal-semiconductor composite nanodot evolution on insulator surface by ion beam dewetting | 142 |
| 5.2.24 | Investigation of Electrical and Optical Properties of N and Li co-implanted ZnO samples | 143 |
| 5.2.25 | Fabrication of p–n junctions in ZnO nanorods by O ⁺ ion implantation | 144 |
| 5.2.26 | 500 keV argon ion implantation induced structural modifications in Glass RPC detector materials: A Positron Lifetime study | 145 |

| | 5.2.27 | Superconducting $Ba(Fe,Co)_2As_2$ crystals and their surface damage by 1.5 MeV Ar-beam | 146 |
|-----|--------|--|-----|
| | 5.2.28 | Study of thermoluminescence property of C+ion doped anodized alumina | 148 |
| | 5.2.29 | Tailoring Optical Properties of ITO thin films by Au implantation Followed by Gamma Irradiation | 149 |
| 5.3 | RADIA | TION BIOLOGY RESEARCH | 150 |
| | 5.3.1 | High LET radiation induced effects on signaling pathways in human prostate cancer cell line | 150 |
| | 5.3.2 | Investigation of DNA repair pathways and cross-talk between PARP-1 and p53 after carbon ion beam irradiation in cultured Human Cells | 152 |
| 5.4 | ATOM | IC PHYSICS RESEARCH | 154 |
| | 5.4.1 | Problem with theoretical calculation for charge state distributions for ion-solid collisions at low energies | 154 |
| | 5.4.2 | A parameterized model for Coulomb barrier height | 155 |
| | 5.4.3 | Line shape technique: A tool for impact parameter dependent investigations in ion-atom collisions | 156 |
| | 5.4.4 | Alignment and Orientation Effects in Ionisation of Small Molecules | 158 |
| 5.5 | ACCEL | ERATOR MASS SPECTROMETRY | 159 |
| | 5.5.1 | AMS ¹⁴ C dating of Deep sea marine core sediments from eastern part of Arabian Sea to reconstruct paleoclimate | 159 |
| | 5.5.2 | Developing chronological constraints tectonic and climate events in different parts of the Himalaya | 159 |
| | 5.5.3 | AMS Radiocarbon Dating of two sediment cores from the Great Rann of Kachchh | 160 |
| | 5.5.4 | Chronology development for the Late Quaternary vegetation and climate reconstruction of the Himalayan region | 161 |

| 5. | ACADEMIC ACTIVITIES | | | |
|----|---------------------|--------|---|-----|
| | 6.1 | BEAM | UTILIZATION BY USERS | 162 |
| | | 6.1.1 | LEIBF (Positive & Negative Ion) Beam Time Utilization and Experiments performed (April, 2016 to March, 2017) | 162 |
| | | 6.1.2 | Pelletron Beam Time Utilization and Experiments performed (April, 2016 to March, 2017) | 163 |
| | | 6.1.3 | List of Users Family | 165 |
| | 6.2 | STUDE | NT PROGRAMMES | 174 |
| | | 6.2.1 | IUAC Summer Programme 2016 for B.Sc. (Physics) Students | 174 |
| | | 6.2.2 | M. Sc. Orientation Programme | 174 |
| | | 6.2.3 | PhD Teaching Programme | 175 |
| | | 6.2.4 | Teaching Laboratory Activities | 175 |
| | 6.3 | LIBRA | RYACTIVITIES | 177 |
| | 6.4 | ACAD | EMIC ACTIVITIES HELD IN 2016-17 | 178 |
| | 6.5 | FORT | HCOMING EVENTS: 2017 | 179 |
| | 6.6 | LIST C |)F PH.D AWARDEES | 181 |
| | 6.7 | LIST C | OF PUBLICATIONS IN THE YEAR 2016-17 | 181 |
| | 6.8 | LIST C | OF SEMINARS CONDUCTED IN THE YEAR 2016-17 | 195 |
| | 6.9 | SCHO | OLS, WORKSHOPS, ACQUAINTANCE PROGRAMMMES, | |

| FOUNDATION DAY | & NATIONAL SCIENCE DAY | CELEBRATIONS 197 |
|-----------------------|------------------------|-------------------------|
| | | |

| APPENDIX I | 206 |
|--------------|-----|
| APPENDIX II | 211 |
| APPENDIX III | 215 |